



# Exploring the Clinical Application of the Concept of “Structural Violence”

Robertson Nash, PhD, ACNP, BC  
Director, PATHways Program  
Vanderbilt Comprehensive Care Clinic



# Acknowledgements

- Stephen P. Raffanti, MD, MPH

Medical Director, Vanderbilt Comprehensive Care Clinic (VCCC)

- The entire staff of the VCCC

- SEAETC

- PATHways Team:

Karie Holldorf, MSN, RN

Emily Shearon, BS\*

Bev Woodward, MSN, RN\*

Raven O'Rourke, LCSW

Judy Stilke, RN

Kira Zemanick, RN

# Disclosures

- No financial disclosures.
- This talk will, of necessity, include political statements. The transmission and course of HIV are both directly impacted by social forces, and those cannot be examined without discussing the tool that we have developed to manage social power, which is politics. I have no desire to offend any participants.
- Content of this lecture is being prepared for submission for publication.

# Objectives

At the end of this talk, participants will be able to:

1. Define “Structural Violence”
2. Consider how changing our language can change our perspective, our research, and our care
3. Appreciate the limits of the concept of Structural Violence as it relates to clinical care
4. Understand the perspective and goals of the VCCC PATHways Program

# Defining Terms

- “Clinically Relevant”
  - all of us working in HIV are resource-challenged
  - Many of our patients face barriers to care that interfere with regular clinic attendance
  - The financial goals of the institutions in which we work serve to preclude spending the time with patients that some need
  - We need tools that are effective when delivered in short bursts and do not rely on complex dosing schedules

# Defining Terms

“Structural Violence” sounds so foreign to our ears for three reasons . . .

1. We don't often think about social structures
2. We have stereotypical ideas of what constitutes violence
3. AND, this is not a scientific term for a phenomenon that can be measured



# Structural

- Having to do with the rules that we choose to set up and follow for our society to run – power.
- Politics is the way that we fight over and distribute power in our society.
- We are acculturated to see the world in almost exclusively individualistic terms

# Homeostasis

**HOMEOSTASIS:**  
**Stable internal**  
**environment of an**  
**organism**



**Organisms are identified**  
**as healthy whenever they**  
**have stable vital signs**



# Allostasis

**ALLOSTASIS:**  
**Stability of organism in a  
changing environment**



**How does the environment  
affect the health of the  
individual?**

**Remember, there are limits  
to what the fish can  
change, even though the  
fish is the one that lives in  
the bowl . . .**

# Allostatic Load

**Allostatic Load: Cost to an organism over time, in terms of wear and tear, of maintaining allostasis**



**Toxic Environment -> toxic responses as individuals seek to cope with their surroundings**

# Violence

## Report: 83% Of Player Pianos Set Off By Gunfight

12/07/17 12:16pm • SEE MORE: SCIENCE ▾



The report found numerous instances of a player piano starting up the moment a table was flipped and guns were drawn upon the discovery of an ace up the sleeve of a poker player.



# Violence

- “Structural Violence” comes out of religious language, specifically Liberation Theology
  - Goal was to describe what was happening to whole populations of the poor in Central America in the 1960s – 80s
- “Social Marginalization” comes from Epidemiology, so it sounds more familiar
- “Structural Marginalization” may be the best label of the three


# Finally, a definition . . .

- Structural Marginalization is a process, not an event or a thing –
  - What happens to people when social rules and processes get in the way of people being able to be a part of their community
    - **OR** -
    - Things that individuals don't have the power to change but can adversely impact them and make it easier for people to marginalize them
- Never blame the victim

# Re-frame the Problem

- From “factors associated with failure to suppress HIV viral load over time include depression and substance use”
- To “psychosocial burden of PLHIV in the Southern US is reflected in higher rates of depression and substance abuse in this population, compared to HIV (-) controls”

# Example



# So What?

- We have a definition. What are we going to do with it?
- What are some frameworks in the literature that give shape to this idea?






# Structural Frameworks

- Social Determinants of Health
  - “The Solid Facts”, WHO
- Syndemic

# What's the point?

- The Social Determinants of Health and concept of Syndemic raise our awareness of the psychosocial burdens borne by PLHIV in the Southern US.
- This is a critical perspective, but how to translate into the exam room?

# Structural Frameworks



By Hchokr at English Wikipedia, CC BY-SA 3.0, <https://commons.wikimedia.org/w/index.php?curid=50859630>



# Biomedical Individualism

- Clinicians often focus on behaviors, without considering their context.
- “Stop smoking”, “start exercising”, “cut out sweets and sodas”
- Would you prescribe lasix for LE edema without assessing the underlying pathology?
- How is handing out bus passes or Section 8 vouchers any different?



# Krieger's Critique (1994)

- The current healthcare system is interested in targeting the problems it was designed to solve;
- Social determinants are relegated to secondary importance;
- Populations are simply summed groups of individuals;

# Krieger's Critique (1994)

- Therefore, it is unavoidable that population problems are reduced to individual problems with pharmacological solutions



# An Unexpected Challenge


- How to find clinically-relevant ground between structural frameworks and biomedical individualism?
- Concept of Cognitive Load
  - How many tones (unidimensional stimuli) can we tell apart?
  - How many multidimensional stimuli can we tell apart?

# A Possible Solution

- Concept of Parsimony
  - Generally speaking, the simplest explanation is the best, aka “Occam’s Razor”
- Aarts recommendations:
  - Limit models to three variables
  - Perform data analysis only on subsets within the model



# Theory of Planned Behavior





# Addressing Structural Marginalization in Clinic

- Strengths-based Care
- Trauma-Informed Care
- Skills-based behavioral health teaching
- First and foremost, you have to acknowledge the humanity and the suffering and frustration of the patient in front of you
  - Does anybody want to be poor, sexually abused, racially discriminated against, socially marginalized, poorly educated or have untreated mental illness?



# Addressing Structural Marginalization in Clinic

- What can possibly be done in 15 minutes to counterbalance the problems caused by structural marginalization in some of our patients?
  - Listen to their stories
  - Help connect pain from past traumas with ongoing maladaptive behaviors
    - Substance abuse
    - Impulsivity
    - Risky Sex
  - Teach adaptive coping skills, i.e. BA or DBT

# Addressing Structural Marginalization in Clinic

- It's not about the ART – that works fine
- When structural marginalization is the issue, it's about WHY someone CAN'T take the ART (and it's not dysphagia)
- The Solution for Marginalization is Community



# Case Study: RN

- AA female, 28 YO, single mother – overwhelmed, isolated, depressed, unemployed, chronic pain - > opioid abuse to ease chronic sense of worthlessness
- Recent admission to Vanderbilt Psychiatric Hospital
- Discharged back into the environment in which she was failing
  - Suboxone Clinic 90 miles away – car unreliable, no gas \$
  - She needs to be surrounded with intensive CM, focusing on her as a PERSON, not an HIV infection

# PATHways Program

- PATHways is a part of the VCCC
- Nursing-led, interdisciplinary, individualized, intensive care for patients failing to manage their HIV and health secondary to burdens of structural marginalization
- Funded by Ryan White, Part B grant

# Measuring the Impact of Structural Marginalization

- PATHways Phenotype provides a validated, robust, easy to implement and understand screening for factors across five domains related to HIV outcomes
- Highlights patient strengths, a critical perspective
- Helps create a team of patient and providers

# PATHways Phenotype, Version A

## PATHways Phenotype, Initial/New Diagnosis

Assessment Date:  MRN#:   
 DOB:  HIV Dx Date:   
 Race:  Gender:

Domain	Factor	Measure	Range	Pt Score and Interpretation
<b>Mental Health</b>	General Self-efficacy	GSE	10-40	29
	Impulsiveness	BIS-8	8-32	16
	Depression/Anxiety	PHQ-4	0-12	6
	Trauma History	ACE	0-10	5
	Alcohol Use	AUDIT-C	0-12	2
	Illicit Use	POST	9-45	18
<b>Clinical Care</b>	VL at last visit	EMR	3/28/2018	25153
	CD4 # last visit	EMR	3/28/2018	339
	Tobacco Use	POST		Y
	Health Insurance	Y/N		Y
<b>Physical Environment</b>	Housing Stability			lives w/family
<b>Social Environment</b>	Transportation			unstable
<b>Social Environment</b>	Employment		FT/PT/U/D	Unemployed
<b>Education</b>	Poverty	% FLP (mon income)		0%
<b>Education</b>	Highest Grade Completed			12

© Robertson Nash, PhD, ACNP, BC, 2017. All Rights Reserved.

### Scoring Key:

**PURPLE** Risk: This area should be further assessed and addressed to minimize risk of patient failing HIV care.  
**GREEN** Baseline: Patient has minimal level of functionality in this area; further assessment recommended.  
**BLUE** Goal: Patient at goal in this area; these may represent opportunities to build on patient strengths

### Recommendations:

**Mental Health:** Refer for care, offer substance abuse resources  
**Clinical Care:** Monitor medication adherence, offer smoking cessation referral  
**Physical/Social Environment:** Encourage patient to connect with community service organizations re: housing, transportation, and employment  
**Education:** Adjust teaching to accommodate patient's education/health literacy level

Provider Review: \_\_\_\_\_



# PATHways Phenotype, Complete

PATHways Phenotype Report				
Assessment Date: 11/15/2017		MRN#: _____		
DOB: 1/13/1966		HIV Dx Date: 6/15/2014		
Race: African-American		Gender: Male		
Domain	Factor	Measure	Range	Pt Score and Interpretation
Mental Health	Locus of Control: MHLC - Form C	MHLC- C : Internal	6-36	23
		Chance	6-36	29
		Medical Providers	3-18	10
		Other People	3-18	13
	HIV Self-efficacy	PCMSMS-HIV	8-48	41
	Coping Styles:Negative (Brief COPE)	Denial	0-8	2
		Substance Use	0-8	2
		Disengagement	0-8	2
		Self-blame	0-8	2
		Self-distraction	0-8	7
	Coping Styles:Positive (Brief COPE)	Venting	0-8	4
		Active Coping	0-8	7
		Emotional Support	0-8	7
		Instrumental Supp	0-8	7
		Positive Re-framing	0-8	6
		Planning	0-8	8
		Humor	0-8	2
		Acceptance	0-8	8
	Religion	0-8	4	
	Depression/Anxiety	PHQ-4	0-12	7
	Shame	ISAT	10-50	19
	Stigma (Stigma Scale, Revised)	Personalized	3-15	12
		Disclosure	2-10	8
Neg Self Image		3-15	13	
Public Attitudes		2-10	7	
Trauma	PTSD (SSSS)	0-7	5	
	ACE	0-10	4	
Social Support	HIV SSS	12-60	32	
Substance Abuse	AUDIT-C/ETOH	0-12	1	
	Illicit	9-45	12	

© Robertson Nash, PhD, ACNP, BC, 2017. All Rights Reserved.

PATHways Phenotype Report				
Site ID: VCCC001		MRN#: _____		
		Pt Score and Interpretation		
Domain	Factor	Measure	Range	Interpretation
Clinical Care	VL at last visit			23182
	CD4 # last visit			207
	Medication Adherence			N
	Tobacco Use			3
	Health Insurance	Y/N		Y
	Dental Insurance	Y/N		N
	Vision Care	Y/N		N
Physical Environment	Housing Stability			Unstable
	Food Security	Food Access	0-27	0
	Transportation			unstable
Social Environment	Domestic Violence	HITS	4-20	4
	Employment			Unemployed
	Poverty	FLP		0%
Education	Incarceration			Y
	Highest Grade Completed			< 12
	Health Literacy - General			3
	Health Literacy - HIV			8

© Robertson Nash, PhD, ACNP, BC, 2017. All Rights Reserved.

**Scoring Key:**

**PURPLE** Risk: Results from screening indicate that deficits in this area should be further assessed and addressed, as they may impair successful management of HIV.

**GREEN** Baseline: Patient has minimal level of functionality in this area; further assessment recommended.

**BLUE** Goal: Patient at goal in this area; these may represent opportunities to build on patient strengths.

# Mental Health Characteristics of VCCC New Patients

Mental Health Characteristics of Newly-diagnosed Patients Engaging in Care at the Vanderbilt Comprehensive Care Clinic, 08/01/2017 – 03/30/2018 (N = 114)

Factor	Measure	Number Completed	Risk (#/%)	Baseline (#/%)	Risk + Baseline	Goal (#/%)
General Self-efficacy	GSE	72	3 (4.17)	35 (48.61)	38 <b>(52.78)</b>	34 (47.22)
Impulsiveness	BIS-8	73	5 (6.85)	13 (17.81)	18 <b>(24.66)</b>	55 (75.34)
Depression/Anxiety	PHQ-4	105	38 <b>(36.19)</b>	28 (26.67)	66 <b>(62.86)</b>	39 (37.14)
Trauma History	ACE	89	21 <b>(23.60)</b>	13 (14.61)	34 <b>(38.20)</b>	55 (61.80)
Alcohol Use	AUDIT-C	68	8 (11.76)		8 (11.76)	60 (88.24)
Illicits Use	POST	73	44 (60.27)		44 <b>(60.27)</b>	29 (39.73)



# Interpreting a Genotype

Drug Class	Drug	Evidence of Resistance
NRTI	Epivir/3TC	None
	Emtriva/FTC	None
	Ziagen/ABC	None
NNRTI	<b>Sustiva/EFV</b>	<b>Resistant (K103N)</b>
	Intelence/ETR	None
PI	Prezista/DRV	None
	Reyataz/ATV	None

# Interpreting a Phenotype

- What are the guidelines for first-line ART for victims of Childhood Sexual Abuse?

**PATHways Phenotype, Initial/New Diagnosis**

Assessment Date:  MRN#:

DOB:  HIV Dx Date:

Race:  Gender:

Domain	Factor	Measure	Range	Pt Score and Interpretation
Mental Health	General Self-efficacy	GSE	10-40	29
	Impulsiveness	BIS-8	8-32	16
	Depression/Anxiety	PHQ-4	0-12	6
	Trauma History	ACE	0-10	5
	Alcohol Use	AUDIT-C	0-12	2
	Illicit Use	POST	9-45	18
Clinical Care	VL at last visit	EMR	3/28/2018	25153
	CD4 # last visit	EMR	3/28/2018	339
	Tobacco Use	POST		Y
	Health Insurance	Y/N		Y
Physical Environment	Housing Stability			lives w/family
	Transportation			unstable
Social Environment	Employment		FT/PT/U/D	Unemployed
Environment	Poverty	% FLP (mon income)		0%
Education	Highest Grade Completed			12

© Robertson Nash, PhD, ACNP, BC, 2017. All Rights Reserved.

**Scoring Key:**

PURPLE Risk: This area should be further assessed and addressed to minimize risk of patient falling HIV care.  
 GREEN Baseline: Patient has minimal level of functionality in this area; further assessment recommended.  
 BLUE Goal: Patient at goal in this area; these may represent opportunities to build on patient strengths

**Recommendations:**

**Mental Health:** Refer for care, offer substance abuse resources  
**Clinical Care:** Monitor medication adherence, offer smoking cessation referral  
**Physical/Social Environment:** Encourage patient to connect with community service organizations re: housing, transportation, and employment  
**Education:** Adjust teaching to accommodate patient's education/health literacy level

**Provider Review:** \_\_\_\_\_

# Final Thoughts

- Structural Marginalization is real and powerful
- Fish have to live in the fishbowl, but they have limited power to change it
- Community is an attitude, not an intervention
- PATHways is community in action, and we are showing that this works!

# Questions?

Robertson Nash

[Robertson.nash@vumc.org](mailto:Robertson.nash@vumc.org)

(615)-875-7861